

New Jersey Department of Environmental Protection  
Division of Water Quality  
Bureau of Nonpoint Pollution Control

**PUBLIC NOTICE**

Notice is hereby given that the New Jersey Department of Environmental Protection (Department/NJDEP) proposes to renew a New Jersey Pollutant Discharge Elimination System (NJPDES) Ground Water Master General Permit NJ0130281 in accordance with N.J.A.C. 7:14A, and by authority of the Water Pollution Control Act at N.J.S.A. 58:10A-1 et seq., for the following discharge:

Applicant or Permittee:

Existing permittees and  
Eligible applicants  
Statewide

Facility:

NJPDES MASTER GENERAL PERMIT PROGRAM  
INTEREST  
401 E STATE ST  
TRENTON, NJ 08625

This action is a renewal of the T1 Sanitary Subsurface Disposal General Permit (NJ0130281). This renewal permit regulates individual subsurface sewage disposal systems with a daily design flow for the property that exceeds 2,000 gallons per day (GPD), and that were approved by local Boards of Health prior to January 1, 1990.

A draft NJPDES permit Ground Water Master General Permit Renewal has been prepared for this facility based on the administrative record filed at the NJDEP, 401 East State Street, Trenton, New Jersey 08625. Copies of the draft document are obtainable, for a nominal charge, and the administrative record is available for inspection by appointment only, Monday through Friday. If you are interested in scheduling an appointment or requesting specific information regarding the draft document, contact June Gazek-Harris of the Bureau of Nonpoint Pollution Control at (609) 292-0407.

Written comments or a request that the Department hold a non-adversarial public hearing on the draft document must be submitted in writing by certified mail (return receipt requested), or by other means which provides verification of the date of delivery to the Department, to Barry Chalofsky, Chief, or Attention: Comments on Public Notice NJ0130281, Bureau of Nonpoint Pollution Control, P.O. Box 029, Trenton, NJ 08625 by the close of the public comment period. The public comment period will close thirty calendar days after the latest date of publication of this notice. This notice will be published in the DEP Bulletin, Courier Post, Star Ledger, Atlantic City press on or about February 27, 2008. All persons, who believe that any condition of this draft document is inappropriate or that the Department's decision to issue this draft document is inappropriate, must raise all reasonable arguments and factual grounds supporting their position, including all supporting materials, during the public comment period.

The Department will respond to all significant and timely comments upon issuance of the final permit decision. Each person who has submitted written comments or requested notice will receive notice of the Department's permit decision.